Physica C 209 (1993) 623–629
North-Holland

PHYSICA C

Author Index to Volume 209

Abulafia, Y., see A. Reiderman **209**, 145
Acquarone, M. and M. Paiusco, Can electronic interactions alone explain the diamagnetic impurity effects on antiferromagnetism in La_2CuO_4 and related materials? **209**, 327
Adelerhof, D.J., M.E. Bijlsma, P.B.M. Fransen, T. Weiman, J. Flokstra and H. Rogalla, Fabrication of Nb/Al,AlO_x/Al/Nb Josephson tunnel junctions using reactive ion etching in SF_6 **209**, 477
Aharoni, E., G. Koren, E. Polturak and D. Cohen, Barrier and electrode properties of high-T_c Josephson junctions formed by a plasma discharge process **209**, 215
Akhtar, M.J., Z.N. Akhtar and C.R.A. Catlow, X-ray absorption studies of $La_{2-x}(Ba,Sr)_xCuO_4$ high-T_c superconductors **209**, 373
Akhtar, Z.N., see M.J. Akhtar **209**, 373
Amann, A., see K. Aupke **209**, 255
Amitin, E.B., N.V. Bausck, S.A. Gromilov, S.G. Kozlova, N.K. Moroz, L.N. Mazalov, V.N. Naumov, P.P. Samoilov, S.A. Slobodjan, M.A. Starikov, V.E. Fedorov, G.I. Frolova and S.B. Erenburg, The electron and lattice properties of superconducting ceramics YBCO–Cl **209**, 407
Andersen, O.K., see I.I. Mazin **209**, 125
Apaja, V. and A. Kallio, Acoustic plasmon velocity from Raman scattering lineshapes **209**, 519
Asaf, U., O. Cohen, I. Felner and U. Yaron, Superconducting oxyfluorides $Nd_2CuO_{4-x}F_x$; $Nd_{2-z}Gd_zCuO_{4-x}F_x$ and $Pr_2CuO_{4-x}F_x$ **209**, 183
Asayama, K., see T. Nishikawa **209**, 553
Askenazy, S., see E.G. Haanappel **209**, 39
Aupke, K., T. Teruzzi, P. Visani, A. Amann, A.C. Mota and V.N. Zavaritsky, Quantum creep in a $Bi_2Sr_2CaCu_2O_x$ single crystal **209**, 255
Azbel, M.Y., see B.A. Malomed **209**, 103
Azoulay, J., see A. Verdyan **209**, 307
Azoulay, J., see M. Pekala **209**, 311

Babichenko, V.S. and M.N. Kiselev, On the excitonic mechanism of superconductivity **209**, 133
Baenitz, M., see J. Freytag **209**, 59
Baram, J., see N. Froumin **209**, 315
Baram, J.C., see Y. Massalker **209**, 295
Barbiellini, B., M. Gauthier, L. Hoffmann, T. Jarlborg, A.A. Manuel, S. Massidda, M. Peter, W. Sadowski, A. Shukla and E. Walker, Positron annihilation in $YBa_2Cu_3O_{7-\delta}$: a clearer picture **209**, 75
Barkay, Z., D. Racah, N. Hass, B. Dwir, E. Grünbaum and G. Deutscher, Study of cathodoluminescence in high-T_c superconductors **209**, 81
Barone, A. and E. Sarnelli, High-T_c Josephson junctions: achievements and perspectives **209**, 219
Bauer, M., see H.-U. Habermeier **209**, 89
Bäuerle, D., see W. Lang **209**, 71
Bauminger, E.R., see I. Nowik **209**, 151
Bausck, N.V., see E.B. Amitin **209**, 407
Beasley, M.R., Recent penetration depth measurements of the high-T_c superconductors and their implications **209**, 43
Beilin, V., see Y. Yaroslavsky **209**, 179
Beille, J., see M.A. Crusellas **209**, 537
Benlhachemi, A., S. Golec and J.R. Gavarri, Elaboration and variable properties of 2223 BSCCO superconductor–polymer composites **209**, 353
Ben-Yaakov, A., see A. Golub **209**, 207
Bernaschi, M., see A. Giannelli **209**, 67
Bezryadin, A.V. and V.N. Kopylov, Detection of vortex motion in high-T_c superconductor by N–S point contact **209**, 559
Bijlsma, M.E., see D.J. Adelerhof **209**, 477
Blackstead, H.A., Anisotropic resistivity in the mixed state of $YBa_2Cu_3O_{7-\delta}$ **209**, 437
Blau, M., see S. Velner **209**, 335
Bock, J., see W. Schnelle **209**, 456
Boháček, P., see J. Wild **209**, 486
Bok, J., Superconductivity in the cuprates. The van Hove scenario **209**, 107
Borsa, F., see P. Carretta **209**, 121
Bourdillon, A., see S. Tolpygo **209**, 211
Buczkowski, S., see G.O. Zimmerman **209**, 291
Burlachkov, L., see M. Weger **209**, 129
Burlachkov, L., Surface effect on the magnetic relaxation in high-temperature superconductors **209**, 203
Burtman, V., see Y. Yaroslavsky **209**, 179

Cadoche, L., see G. Grader **209**, 273
Cahen, D., see Y. Scolnik **209**, 305
Caplin, A.D., S.M. Cassidy, L.F. Cohen, M.N. Cuthbert, J.R. Laverty, G.K. Perkins, S.X. Dou, Y.C. Guo, H.K. Liu, F. Lu, H.J. Tao and E.L. Wolf, 'Strong' grain boundaries in Ag–BSCCO(2223) tapes **209**, 167
Cardona, M., see I.E. Trofimov **209**, 51
Carretta, P., M. Corti, A. Lascialfari, F. Borsa and A. Rigamonti, Spin dynamics in CuO and in La_2CuO_4 under charge and spin substitutions from NQR–NMR relaxation **209**, 121
Cassidy, S.M., see A.D. Caplin **209**, 167
Catlow, C.R.A., see M.J. Akhtar **209**, 373
Chaturvedi, N., see A.C. Sharma **209**, 507
Chen, Y.C., see W.Y. Guan **209**, 19
Chen, Y.C., see H.D. Yang **209**, 573
Chen, Z.Y., see Y.T. Qian **209**, 516

Chern, M.Y., see A. Gupta **209**, 175
Chevalier, B., see J. Hejtmanek **209**, 47
Chien, T.R., see S.F. Lee **209**, 141
Chirkin, A.N., see A.A. Milner **209**, 225
Cieplak, M.Z., S. Vadlamannati, S. Guha, C.H. Nien and P. Lindenfeld, From submonolayers to bulk in $YBa_2Cu_3O_{7-\delta}$ **209**, 31
Cohen, D., see E. Aharoni **209**, 215
Cohen, L.F., see A.D. Caplin **209**, 167
Cohen, O., see U. Asaf **209**, 183
Corti, M., see P. Carretta **209**, 121
Crusellas, M.A., J. Fontcuberta, S. Piñol, J. Beille and T. Grenet, Transport properties of $Ln_{2-x}Ce_xCuO_{4-y}$ single crystals under high pressure **209**, 537
Cuthbert, M.N., see A.D. Caplin **209**, 167

Daalmans, G., see G. Friedl **209**, 287
Dai, U., see D. Racah **209**, 229
Dai, U., see Y. Scolnik **209**, 305
Davidov, D., see M. Golosovsky **209**, 337
Decker, W., see G. Wahl **209**, 195
Desgardin, G., see N. Hass **209**, 85
Deutscher, G., see Z. Barkay **209**, 81
Deutscher, G., see N. Hass **209**, 85
Deutscher, G., see D. Racah **209**, 229
Domengès, B., see B. Raveau **209**, 163
Dorosinskii, L.A., see M.V. Indenbom **209**, 259
Dou, S.X., see A.D. Caplin **209**, 167
Duan, H.M., see A.M. Hermann **209**, 199
Duran, P., see J. Tartaj **209**, 301
Dwir, B., see Z. Barkay **209**, 81

Emery, V.J. and S.A. Kivelson, Frustrated electronic phase separation and high-temperature superconductors **209**, 597
Engst, P., see J. Wild **209**, 486
Erenburg, S.B., see E.B. Amitin **209**, 407
Erokhin, Y.Y., see G. Wahl **209**, 195
Etourneau, J., see J. Hejtmanek **209**, 47

Fainberg, B. and D. Huppert, Laser-induced grating spectroscopy of high-T_c superconductors **209**, 95
Fastampa, R., see M. Giura **209**, 341
Fedorov, V.E., see E.B. Amitin **209**, 407
Felner, I., see I. Nowik **209**, 151
Felner, I., see U. Yaron **209**, 159
Felner, I., see U. Asaf **209**, 183
Felner, I., see M. Müther **209**, 428
Fernandez, J.F., see J. Tartaj **209**, 301
Fetterman, H.R., see A.Z. Kain **209**, 281
Flokstra, J., see D.J. Adelerhof **209**, 477
Fontcuberta, J., see M.A. Crusellas **209**, 537
Forkl, A., see M.V. Indenbom **209**, 259
Franse, J.J.M., see A. Gerber **209**, 147
Fransen, P.B.M., see D.J. Adelerhof **209**, 477
Freytag, J., M. Baenitz, S. Gärtner, H. Riesemeier, V. Müller and K. Lüders, Temperature dependence of Cu–NQR frequencies and linewidths of high-T_c superconductors **209**, 59
Friedl, G., M. Seitz, B. Holzapfel, B. Roas, B. Stritzker, G. Daalmans, D. Uhl, B. Hillenbrand, L. Schultz and H.E. Hoenig, Preparation and properties of thin film $YBa_2Cu_3O_x$ devices **209**, 287
Frolova, G.I., see E.B. Amitin **209**, 407
Froumin, N., see A. Golub **209**, 207
Froumin, N., J. Baram and M. Polak, Wettability of PbBiSrCaCuO by Ag and Ag-based alloys **209**, 315
Fueki, K., see H. Ishizuka **209**, 491
Fujiwara, Y., see K. Horiuchi **209**, 531

Gabay, M. and P. Lederer, Resistivity in the "spin gap" phase of strongly correlated fermions **209**, 117
Gál, M., see Z. Homonnay **209**, 137
Gärtner, S., see J. Freytag **209**, 59
Gaskell, D.R., see J.S. Kim **209**, 381
Gauthier, M., see B. Barbiellini **209**, 75
Gavarri, J.R., see A. Benlhachemi **209**, 353
Geballe, T.H., Searching for superconductivity above the present limit **209**, 13
Genzel, L., see H.-U. Habermeier **209**, 89
Gerber, A., Z. Tarnawski and J.J.M. Franse, Magnetic instabilities in high temperature superconductors **209**, 147
Giannelli, A., C. Giovannella and M. Bernaschi, An order–disorder crossover in granular superconductors **209**, 67
Ginodman, V., see Y. Yaroslavsky **209**, 179
Ginzburg, V.L., High-temperature superconductivity: its possible mechanisms **209**, 1
Giovannella, C., see A. Giannelli **209**, 67
Giura, M., R. Fastampa, R. Marcon and E. Silva, Magnetoresistivity measurements in HTC superconductors: layered behavior and vortex-glass-to-liquid transition **209**, 341
Golec, S., see A. Benlhachemi **209**, 353
Gollnik, F., see R.P. Huebener **209**, 27
Golosovsky, M., M. Tsindlekht, D. Davidov and A.K. Sarychev, Effective-medium approach to the microwave properties of the high-T_c superconductor–insulator composites **209**, 337
Golub, A., B. Horovitz, N. Froumin, A. Ben-Yaakov and M. Polak, Optimizing SNS Josephson junctions for high critical current density in BiSrCaCuO–metal composites **209**, 207
Golubov, A.A., see V.M. Krasnov **209**, 579
Goodwin, T.J., see H.B. Radousky **209**, 155
Gorbenko, O.Y., see G. Wahl **209**, 195
Graboy, I.E., see G. Wahl **209**, 195
Grader, G., L. Cadoche and G. Shter, Preparation of unclad YBCO wires **209**, 273
Grader, G., see V. Sokolovsky **209**, 277
Grenet, T., see M.A. Crusellas **209**, 537
Gromilov, S.A., see E.B. Amitin **209**, 407
Gross, R., see R.P. Huebener **209**, 27
Grünbaum, E., see Z. Barkay **209**, 81
Gu, H., see M. Mosbah **209**, 463

Guan, W.Y., Y.C. Chen, J.Y.T. Wei, Y.H. Xu and M.K. Wu, Ion-size effect on T_m and T_c in $(R_{1-x}Pr_x)Ba_2Cu_3O_7$ systems (R=Yb, Tm, Er, Ho, Dy, Gd, Eu, Sm, Nd and Y) **209**, 19
Guan, W.Y., see S.F. Lee **209**, 141
Guha, S., see M.Z. Cieplak **209**, 31
Guo, Y.C., see A.D. Caplin **209**, 167
Gupta, A., M.Y. Chern and B.W. Hussey, Layer-by-layer growth of cuprate thin films by pulsed laser deposition **209**, 175
Gupta, Y.M., see A.C. Sharma **209**, 507
Gurvitch, M., see S. Tolpygo **209**, 211

Haanappel, E.G., W. Joss, I.D. Vagner, P. Wyder, K. Trübenbach, Hj. Mattausch, A. Simon, F.M. Mueller and S. Askenazy, Magneto-oscillations in $YBa_2Cu_3O_{7-\delta}$ in high magnetic fields **209**, 39
Habermeier, H.-U., see I.E. Trofimov **209**, 51
Habermeier, H.-U., L. Genzel and M. Bauer, $YBa_2Cu_3O_7$ and $YBa_2(Cu_{1-0.04}Fe_{0.04})_3O_7$ single crystal thin films. Preparation and determination of the gap distribution **209**, 89
Hammond, S., see M. Mosbah **209**, 463
Hasegawa, T., see K. Kitazawa **209**, 23
Hass, N., see Z. Barkay **209**, 81
Hass, N., D. Ilzycer, G. Deutscher, G. Desgardin, I. Monot and M. Weger, Gap anisotropy and Fermi velocity in oriented $YBa_2Cu_3O_{7-\delta}$ from point contact spectroscopy **209**, 85
Hass, N., see Y. Scolnik **209**, 305
Heald, S.M., see E.A. Stern **209**, 331
Heike, S., see K. Kitazawa **209**, 23
Heine, G., see W. Lang **209**, 71
Hejtmanek, J., E. Pollert, B. Chevalier, J. Etourneau and A. Tressaud, Structural and transport properties of $La_{1.85-x}Nd_xSr_{0.15}CuO_4F_y$ solid solutions **209**, 47
Hermann, A.M., H.M. Duan, W. Kiehl and M. Paranthaman, Single crystal studies of the pairing mechanism in $Tl_2Ba_2CuO_6$ superconductors **209**, 199
Hervieu, M., see B. Raveau **209**, 163
Hervieu, M., A.Q. Pham, C. Michel and B. Raveau, A 2212 bismuth cuprate with a non-modulated structure. $Bi_{2-x}La_xBa_{2.5}La_{0.5}Cu_2O_{8.25}$ **209**, 449
Hillenbrand, B., see G. Friedl **209**, 287
Hirotsu, S., see K. Horiuchi **209**, 531
Hoenig, H.E., see G. Friedl **209**, 287
Hoffmann, L., see B. Barbiellini **209**, 75
Holtzberg, F., see L. Klein **209**, 251
Holzapfel, B., see G. Friedl **209**, 287
Homonnay, Z., E. Kuzmann, M. Gál, S. Nagy, A. Vértes, L. Pöppl, A. Nath and Gy. Vankó, Emission Mössbauer study of oxygen deficient $PrBa_2Cu_3(^{57}Co)O_{6+x}$ **209**, 137
Horiuchi, K., T. Kawai, S. Kawai, Y. Fujiwara and S. Hirotsu, Superconductivity of strained $YBa_2Cu_3O_7/(La_{1-x}Sr_x)_2CuO_4$ superlattices **209**, 531
Horovitz, B., see A. Golub **209**, 207
Hüdepohl, J., see W. Schnelle **209**, 456
Huebener, R.P., H.-C. Ri, R. Gross and F. Gollnik, Thermal diffusion of quasiparticles and flux quanta in the mixed state of high-temperature superconductors **209**, 27
Huppert, D., see B. Fainberg **209**, 95
Hussey, B.W., see A. Gupta **209**, 175
Huvé, M., see B. Raveau **209**, 163

Idemoto, Y., see H. Ishizuka **209**, 491
Ikuta, H., see K. Kitazawa **209**, 23
Ilzycer, D., see N. Hass **209**, 85
Inaguma, Y., see J. Yu **209**, 442
Indenbom, M.V., Th. Schuster, M.R. Koblischka, A. Forkl, H. Kronmüller, L.A. Dorosinskii, V.K. Vlasko-Vlasov, A.A. Polyanskii, R.L. Prozorov and V.I. Nikitenko, Study of flux distributions in high-T_c single crystals and thin films using magneto-optic techniques **209**, 259
Ishizuka, H., Y. Idemoto and K. Fueki, Determination of the CT gap of a $Nd_2CuO_{4-\delta}$ single crystal by high-temperature conductivity measurement **209**, 491
Itoh, M., see J. Yu **209**, 442

Jarlborg, T., see B. Barbiellini **209**, 75
Jepsen, O., see I.I. Mazin **209**, 125
Jia, S.L., see Y.G. Zhao **209**, 472
Jilek, E., see C. Meingast **209**, 591
Joss, W., see E.G. Haanappel **209**, 39

Kain, A.Z. and H.R. Fetterman, Parametric interactions in high-T_c superconducting step edge junctions at X-band **209**, 281
Kaldis, E., see C. Meingast **209**, 591
Kallio, A., see V. Apaja **209**, 519
Kamarás, K., see I.E. Trofimov **209**, 51
Karpinski, J., see C. Meingast **209**, 591
Kaul, A.R., see G. Wahl **209**, 195
Kawai, S., see K. Horiuchi **209**, 531
Kawai, T., see K. Horiuchi **209**, 531
Kessler, C., see B. Nebendahl **209**, 362
Khalfin, I.B., see B.Ya. Shapiro **209**, 99
Kharchenko, N.F., see A.A. Milner **209**, 225
Kiehl, W., see A.M. Hermann **209**, 199
Kim, J.S. and D.R. Gaskell, The phase stability diagrams for the systems $Nd_2CuO_{4-\delta}$ and $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **209**, 381
Kiselev, M.N., see V.S. Babichenko **209**, 133
Kishio, K., see L. Klein **209**, 251
Kitaoka, Y., see T. Nishikawa **209**, 553
Kitazawa, K., M. Nantoh, S. Heike, A. Takagi, H. Ikuta and T. Hasegawa, Superconducting gap observed by the atomic-site tunneling spectroscopy on YBCO and BSCCO **209**, 23
Kivelson, S.A., see V.J. Emery **209**, 597
Klein, L., E.R. Yacoby, Y. Yeshurun, M. Konczykowski, F. Holtzberg and K. Kishio, Flux reorientation in irradiated $YBa_2Cu_3O_7$ and $Bi_2Sr_2CaCu_2O_8$ crystals **209**, 251
Klotz, S. and J.S. Schilling, Hydrostatic pressure dependence of the superconducting transition temperature to 7 GPa in $Bi_2Ca_1Sr_2Cu_2O_{8+y}$ as a function of oxygen content **209**, 499
Knauf, N., see W. Schnelle **209**, 456
Koblischka, M.R., see M.V. Indenbom **209**, 259

Konczykowski, M., Flux pinning and creep from columnar defects in high temperature superconductors **209**, 247
Konczykowski, M., see L. Klein **209**, 251
Kopylov, V.N., see A.V. Bezryadin **209**, 559
Koren, G., see E. Aharoni **209**, 215
Koren, G., DC sputter deposition of $YBa_2Cu_3O_7$ thin films for two sided coating **209**, 369
Kornyushin, Y., see U. Yaron **209**, 159
Kozlova, S.G., see E.B. Amitin **209**, 407
Krasnov, V.M., N.F. Pedersen and A.A. Golubov, The vortex structure and the anisotropy of the penetration depth in superconducting multilayers. The vortex parallel to the layers **209**, 579
Kresin, V.Z., M.E. Reeves and S.A. Wolf, Superconductivity, gapless state and isotope effect in the cuprates **209**, 319
Kresse, R., see H. Küpfer **209**, 243
Kronmüller, H., see M.V. Indenbom **209**, 259
Kula, W., see W. Lang **209**, 71
Kumar, A., J. Narayan and B. Patnaik, Trilayered heterostructures in in-situ laser deposited high temperature superconductors **209**, 421
Küpfer, H., R. Kresse, R. Meier-Hirmer, K. Salama, D. Lee and V. Selvamanickam, Investigation of collective creep in YBaCuO **209**, 243
Kuzmann, E., see Z. Homonnay **209**, 137

Lang, W., G. Heine, C. Sekirnjak, P. Schwab, X.Z. Wang, D. Bäuerle, W. Kula and R. Sobolewski, Transport properties of YBaCuO and BiSrCaCuO thin films in the thermodynamic fluctuation range **209**, 71
Lapsker, I., see A. Verdyan **209**, 307
Lapsker, I., see M. Pekala **209**, 311
Lascialfari, A., see P. Carretta **209**, 121
Laverty, J.R., see A.D. Caplin **209**, 167
Leach, D.H., see I.E. Trofimov **209**, 51
Lederer, P., see M. Gabay **209**, 117
Lee, D., see H. Küpfer **209**, 243
Lee, D.F., see K. Salama **209**, 187
Lee, S.F., J.Y.T. Wei, H.Y. Tang, T.R. Chien, M.K. Wu and W.Y. Guan, Hall effect and resistivity in metallic $Ba_{1-x}K_xBiO_3$ single crystals: absence of $1/T$ dependence in R_h and linear-to-quadratic evolution of $\rho(T)$ **209**, 141
Li, Q.P., Theory of effect of uniaxial stress on T_c in $YBa_2Cu_3O_7$ **209**, 513
Li, R.K., see Y.T. Qian **209**, 516
Liang, W.Y., Relationship between fluctuation effects and irreversibility lines **209**, 237
Liechtenstein, A.I., see I.I. Mazin **209**, 125
Lin, Y., see S. Tolpygo **209**, 211
Lindenfeld, P., see M.Z. Cieplak **209**, 31
Litvin, S., see Y. Yaroslavsky **209**, 179
Litvinchuk, A.P., see I.E. Trofimov **209**, 51
Liu, H.K., see A.D. Caplin **209**, 167
Lu, F., see A.D. Caplin **209**, 167
Lüders, K., see J. Freytag **209**, 59

Macl, J., see J. Wild **209**, 486
Maeda, H., see E.A. Stern **209**, 331
Maignan, A., see B. Raveau **209**, 163
Malomed, B.A. and M.Y. Azbel, Temporal oscillations of current tunneling through a point junction **209**, 103
Maniv, T., A.I. Rom, I.D. Vagner and P. Wyder, De Haas–Van Alphen oscillations in extremely type-II nearly 2D superconductors **209**, 35
Manuel, A.A., see B. Barbiellini **209**, 75
Manuel, P., see M. Mosbah **209**, 463
Marcon, R., see M. Giura **209**, 341
Martin, C., see B. Raveau **209**, 163
Massalker, Y., A.N. Sembira and J.C. Baram, Characterization of superconducting BiSrCaCuO (2212 and 2223) prepared from amorphous plates by splat quenching **209**, 295
Massidda, S., see B. Barbiellini **209**, 75
Mattausch, Hj., see E.G. Haanappel **209**, 39
Mazalov, L.N., see E.B. Amitin **209**, 407
Mazin, I.I., A.I. Liechtenstein, C.O. Rodriguez, O. Jepsen and O.K. Andersen, Superconducting and transport electron–phonon coupling constants in $YBa_2Cu_3O_7$: effect of the interband anisotropy **209**, 125
McConeghy, R., see G.O. Zimmerman **209**, 291
McKernan, S. and A. Zettl, High-temperature resistivity and oxygen diffusion in $Bi_2Sr_2CaCu_2O_x$ **209**, 585
Meen, T.H., see H.D. Yang **209**, 573
Meerovich, V., see V. Sokolovsky **209**, 277
Mehring, M., see B. Nebendahl **209**, 362
Mei, C.J. and V.H. Smith Jr., Electronic structure of $SrCuO_2$ doped with Ca **209**, 389
Meier-Hirmer, R., see H. Küpfer **209**, 243
Meilikhov, E.Z., An even Hall effect in superconductors **209**, 566
Meingast, C., J. Karpinski, E. Jilek and E. Kaldis, Uniaxial pressure dependence of T_c of single crystalline $YBa_2Cu_4O_8$ via thermal expansion **209**, 591
Michel, C., see B. Raveau **209**, 163
Michel, C., see M. Hervieu **209**, 449
Miletich, R., M. Murakami, A. Preisinger and H.W. Weber, Microstructural characteristics of melt-powder-melt-grown $YBa_2Cu_3O_{7-x}$ crystals **209**, 415
Milner, A.A., N.F. Kharchenko, O.V. Miloslavskaya, A.T. Pugachev, A.N. Stetsenko and A.N. Chirkin, Magnetic circular dichroism properties of Y–Ba–Cu–O transparent films **209**, 225
Miloslavskaya, O.V., see A.A. Milner **209**, 225
Mints, R.G. and I.B. Snapiro, Point-like vortices and magnetization relaxation in layered superconductors **209**, 233
Mombru, A., see D. Veretnik **209**, 191
Monot, I., see N. Hass **209**, 85
Moroz, N.K., see E.B. Amitin **209**, 407
Mosbah, M., H. Gu, S. Senoussi, S. Hammond and P. Manuel, A study of the microstructure and the critical current density of $La_{1.85}Sr_{0.15}CuO_4$ superconductor **209**, 463
Mota, A.C., see K. Aupke **209**, 255
Moure, C., see J. Tartaj **209**, 301
Mueller, F.M., see E.G. Haanappel **209**, 39

Müller, V., see J. Freytag **209**, 59
Murakami, M., see R. Miletich **209**, 415
Müther, M., G. Wortmann, I. Felner and I. Nowik, ^{155}Gd-Mössbauer studies of the T′-, T*- and T-phases of $La_{2-x-y}Gd_xSr_yCuO_4$ **209**, 428

Nabutovsky, V.M. and S. Reich, Proximity effect in silver-ceramic superconductor composites **209**, 63
Nadgorny, B., see S. Tolpygo **209**, 211
Nagy, S., see Z. Homonnay **209**, 137
Nakamura, T., see J. Yu **209**, 442
Nantoh, M., see K. Kitazawa **209**, 23
Narayan, J., see A. Kumar **209**, 421
Nath, A., see Z. Homonnay **209**, 137
Naumov, V.N., see E.B. Amitin **209**, 407
Nebendahl, B., C. Kessler, D.-N. Peligrad and M. Mehring, Comparative investigation of intrinsic Josephson contacts in HTC superconductors by modulated microwave absorption measurements **209**, 362
Negm, Y.Z., see G.O. Zimmerman **209**, 291
Newville, M., see B. Rechav **209**, 55
Nien, C.H., see M.Z. Cieplak **209**, 31
Nikitenko, V.I., see M.V. Indenbom **209**, 259
Nisenoff, M., S.A. Wolf, J.C. Ritter and G. Price, Space applications of high temperature superconductivity: the high temperature superconductivity space experiment (HTSSE) **209**, 263
Nishikawa, T., S. Shamoto, M. Sera, M. Sato, S. Ohsugi, Y. Kitaoka and K. Asayama, Hole density dependence of the low temperature electronic specific heat coefficient of $La_{2-x}Sr_xCaCu_2O_6$ with weakly localized electrons **209**, 553
Nowik, I., I. Felner and E.R. Bauminger, Competition between superconductivity and magnetism in high-T_c systems **209**, 151
Nowik, I., see M. Müther **209**, 428

Ohsugi, S., see T. Nishikawa **209**, 553

Paiusco, M., see M. Acquarone **209**, 327
Paranthaman, M., see A.M. Hermann **209**, 199
Pasternak, M.P. and R.D. Taylor, Pressure induced metallization of Mott insulators; the Mott transition **209**, 113
Patnaik, B., see A. Kumar **209**, 421
Pedersen, N.F., see V.M. Krasnov **209**, 579
Pekala, K., see M. Pekala **209**, 311
Pekala, M., K. Pekala, I. Lapsker, A. Verdyan and J. Azoulay, Thermoelectric study of Y–Ba–Cu–O thin film on MgO substrate prepared by resistive evaporation **209**, 311
Peligrad, D.-N., see B. Nebendahl **209**, 362
Perkins, G.K., see A.D. Caplin **209**, 167
Peter, M., see B. Barbiellini **209**, 75
Pham, A.Q., see M. Hervieu **209**, 449
Piñol, S., see M.A. Crusellas **209**, 537
Pochylý, J., see J. Wild **209**, 486
Polak, M., see A. Golub **209**, 207
Polak, M., see N. Froumin **209**, 315
Pollert, E., see J. Hejtmanek **209**, 47
Polturak, E., see E. Aharoni **209**, 215
Polyanskii, A.A., see M.V. Indenbom **209**, 259
Pöppl, L., see Z. Homonnay **209**, 137
Powers, R.E., see G.O. Zimmerman **209**, 291
Prachařová, J., see J. Wild **209**, 486
Preisinger, A., see R. Miletich **209**, 415
Preisler, E., see W. Schnelle **209**, 456
Price, G., see M. Nisenoff **209**, 263
Prozorov, R.L., see M.V. Indenbom **209**, 259
Pugachev, A.T., see A.A. Milner **209**, 225
Pulver, M., see G. Wahl **209**, 195

Qi, Z.Q., see P. Wei **209**, 400
Qian, M., see E.A. Stern **209**, 331
Qian, Y.T., K.B. Tang, P.D. Yang, Z.Y. Chen, R.K. Li, G. Zhou, Y.H. Zhang and N.L. Wang, The synthesis and superconductivity of a new type of Bi-1212 phase (Bi, Cd)Sr_2(Y, Ca)Cu_2O_z **209**, 516

Racah, D., see Z. Barkay **209**, 81
Racah, D., U. Dai and G. Deutscher, Long coherence lengths in *c*-axis oriented $Y_{0.6}Pr_{0.4}Ba_2Cu_3O_7$ thin films determined by the resistive transitions under applied magnetic fields **209**, 229
Radousky, H.B., T.J. Goodwin and R.N. Shelton, Absence of superconductivity in $(Pr_{1.5}Ce_{0.5})Sr_2Cu_2NbO_{10}$ – a general correlation with magnetic ordering **209**, 155
Rappaport, M., see Y. Scolnik **209**, 305
Raveau, B., M. Huvé, A. Maignan, M. Hervieu, C. Michel, B. Domengès and C. Martin, Copper oxycarbonates with a layered structure, new promising high-T_c superconductors **209**, 163
Raveau, B., see M. Hervieu **209**, 449
Ravel, B., see B. Rechav **209**, 55
Rechav, B., N. Sicron, Y. Yacoby, B. Ravel, M. Newville and E.A. Stern, Structural disorder in oxygen perovskite crystals **209**, 55
Reeves, M.E., see V.Z. Kresin **209**, 319
Reich, S., see V.M. Nabutovsky **209**, 63
Reich, S., see D. Veretnik **209**, 191
Reiderman, A., Y. Wolfus, Y. Abulafia and Y. Yeshurun, Hall probe response to a distribution of vortices in superconductor **209**, 145
Ri, H.-C., see R.P. Huebener **209**, 27
Riesemeier, H., see J. Freytag **209**, 59
Rigamonti, A., see P. Carretta **209**, 121
Ritter, J.C., see M. Nisenoff **209**, 263
Roas, B., see G. Friedl **209**, 287
Rodriguez, C.O., see I.I. Mazin **209**, 125
Rogalla, H., see D.J. Adelerhof **209**, 477
Rom, A.I., see T. Maniv **209**, 35
Rosenberg, Yu., On the use of X-ray forbidden and oxygen reflections for crystal properties study **209**, 171

Sadowski, W., see B. Barbiellini **209**, 75

Salama, K., V. Selvamanickam and D.F. Lee, Process-induced flux pinning in melt-textured YBCO superconductor **209**, 187
Salama, K., see H. Küpfer **209**, 243
Samoilov, P.P., see E.B. Amitin **209**, 407
Sarnelli, E., see A. Barone **209**, 219
Sarychev, A.K., see M. Golosovsky **209**, 337
Sato, M., see T. Nishikawa **209**, 553
Schieber, M., see Y. Yaroslavsky **209**, 179
Schilling, J.S., see S. Klotz **209**, 499
Schlesinger, Y., see E. Sheriff **209**, 79
Schnelle, W., N. Knauf, J. Bock, E. Preisler and J. Hüdepohl, The specific heat anomaly of $Bi_2Sr_2CaCu_2O_{8+\delta}$ at T_c in dependence on the oxygen content **209**, 456
Schultz, L., see G. Friedl **209**, 287
Schuster, Th., see M.V. Indenbom **209**, 259
Schwab, P., see W. Lang **209**, 71
Scolnik, Y., M. Rappaport, N. Hass, U. Dai and D. Cahen, Electrochemical room temperature reduction and reoxydation of thin films and pellets of $YBa_2Cu_3O_{7-x}$ **209**, 305
Seitz, M., see G. Friedl **209**, 287
Sekirnjak, C., see W. Lang **209**, 71
Selvamanickam, V., see K. Salama **209**, 187
Selvamanickam, V., see H. Küpfer **209**, 243
Sembira, A.N., see Y. Massalker **209**, 295
Senoussi, S., see M. Mosbah **209**, 463
Sera, M., see T. Nishikawa **209**, 553
Shaltiel, D., see Y. Yaroslavsky **209**, 179
Shamoto, S., see T. Nishikawa **209**, 553
Shapiro, B.Ya. and I.B. Khalfin, The electric field action on high-T_c superconductors **209**, 99
Sharma, A.C., N. Chaturvedi and Y.M. Gupta, Effective interaction potential for copper oxide superconductors **209**, 507
Shelton, R.N., see H.B. Radousky **209**, 155
Sheriff, E. and Y. Schlesinger, Anomalous magnetoresistance in bulk polycrystalline $Y_1Ba_2Cu_3O_{7-d}$ **209**, 79
Shokhor, S., see S. Tolpygo **209**, 211
Shter, G., see G. Grader **209**, 273
Shter, G., see V. Sokolovsky **209**, 277
Shukla, A., see B. Barbiellini **209**, 75
Sicron, N., see B. Rechav **209**, 55
Silva, E., see M. Giura **209**, 341
Simon, A., see E.G. Haanappel **209**, 39
Slobodjan, S.A., see E.B. Amitin **209**, 407
Smith Jr., V.H., see C.J. Mei **209**, 389
Snapiro, I.B., see R.G. Mints **209**, 233
Sobolewski, R., see W. Lang **209**, 71
Sokolovsky, V., V. Meerovich, G. Grader and G. Shter, Experimental investigation of current-limiting device model based on high-T_c superconductors **209**, 277
Somasundaram, P. and A.M. Umarji, Structural and physical characterization of $Bi_2Ca_{1-x}Ln_xSr_2Cu_2O_{8+\delta}$ (Ln = Dy or Y) glasses **209**, 393
Sommer, M., see G. Wahl **209**, 195
Starikov, M.A., see E.B. Amitin **209**, 407
Stern, E.A., see B. Rechav **209**, 55
Stern, E.A., M. Qian, Y. Yacoby, S.M. Heald and H. Maeda, Apical Cu–O bond in $YBa_2Cu_3O_{7-\delta}$ superconductors by XAFS **209**, 331
Stetsenko, A.N., see A.A. Milner **209**, 225
Stolle, R., see G. Wahl **209**, 195
Stritzker, B., see G. Friedl **209**, 287

Tafuri, F., see S. Tolpygo **209**, 211
Tahar, M.Z., see G.O. Zimmerman **209**, 291
Takagi, A., see K. Kitazawa **209**, 23
Takashima, H., see J. Yu **209**, 442
Tang, H.Y., see S.F. Lee **209**, 141
Tang, K.B., see Y.T. Qian **209**, 516
Tao, H.J., see A.D. Caplin **209**, 167
Tarnawski, Z., see A. Gerber **209**, 147
Tartaj, J., J.F. Fernandez, P. Duran and C. Moure, Preparation and characterization of superconducting $YBa_2Cu_3O_x$ thick films obtained by screen-printing **209**, 301
Taylor, R.D., see M.P. Pasternak **209**, 113
Teruzzi, T., see K. Aupke **209**, 255
Thomsen, C., see I.E. Trofimov **209**, 51
Tolpygo, S., B. Nadgorny, S. Shokhor, F. Tafuri, Y. Lin, A. Bourdillon and M. Gurvitch, Electron beam writing in fabricating planar high-T_c Josephson junctions **209**, 211
Tressaud, A., see J. Hejtmanek **209**, 47
Trofimov, I.E., D.H. Leach, A.P. Litvinchuk, K. Kamarás, C. Thomsen, H.-U. Habermeier and M. Cardona, On a possible charge transfer in superconducting superlattices **209**, 51
Trübenbach, K., see E.G. Haanappel **209**, 39
Tsindlekht, M., see M. Golosovsky **209**, 337

Uhl, D., see G. Friedl **209**, 287
Umarji, A.M., see P. Somasundaram **209**, 393

Vadlamannati, S., see M.Z. Cieplak **209**, 31
Vagner, I.D., see T. Maniv **209**, 35
Vagner, I.D., see E.G. Haanappel **209**, 39
Vankó, Gy., see Z. Homonnay **209**, 137
Velner, S., D. Weiner, M. Blau and Y. Yeshurun, Application of high temperature superconductive magnetic energy storage (SMES) system to an electric utility grid – a demonstration plant **209**, 335
Verdyan, A., I. Lapsker and J. Azoulay, Electrical properties of Y–Ba–Na–Cu–O high-T_c superconductor thin films **209**, 307
Verdyan, A., see M. Pekala **209**, 311
Veretnik, D., A. Mombru and S. Reich, Enhancement of crystallinity in $YBa_2Cu_3O_{7-x}$ ceramic by water or NaOH solution attack **209**, 191
Vértes, A., see Z. Homonnay **209**, 137
Visani, P., see K. Aupke **209**, 255
Vlasko-Vlasov, V.K., see M.V. Indenbom **209**, 259
Vogt, U., see G. Wahl **209**, 195

Wahl, G., W. Decker, M. Pulver, R. Stolle, O.Y. Gorbenko,

A.R. Kaul, Y.Y. Erokhin, I.E. Graboy, M. Sommer and U. Vogt, Chemical engineering of CVD of HT_c superconductors **209**, 195
Walker, E., see B. Barbiellini **209**, 75
Wang, N.L., see Y.T. Qian **209**, 516
Wang, X.Z., see W. Lang **209**, 71
Weber, H.W., see R. Miletich **209**, 415
Weger, M., see N. Hass **209**, 85
Weger, M. and L. Burlachkov, Enhancement of Fermi velocity by electron–electron interactions, and the transport properties of high-T_c superconductors **209**, 129
Wei, J.Y.T., see W.Y. Guan **209**, 19
Wei, J.Y.T., see S.F. Lee **209**, 141
Wei, P., H.W. Ying and Z.Q. Qi, Localization of holes on CuO_2 conduction planes in $Y_{1-x}R_xBa_2Cu_3O_7$ (R=Ce, Pr, Tb and Gd) **209**, 400
Weiman, T., see D.J. Adelerhof **209**, 477
Weiner, D., see S. Velner **209**, 335
Weinstock, H., Prospects on the application of HTS SQUID magnetometry to nondestructive evaluation (NDE) **209**, 269
Wild, J., P. Boháček, J. Macl, P. Engst, J. Prachařová and J. Pochylý, Preparation of thin superconducting Bi–Sr–Ca–Cu–O layers using laser deposition in air **209**, 486
Wolf, E.L., see A.D. Caplin **209**, 167
Wolf, S.A., see M. Nisenoff **209**, 263
Wolf, S.A., see V.Z. Kresin **209**, 319
Wolfus, Y., see A. Reiderman **209**, 145
Wortmann, G., see M. Müther **209**, 428
Wu, M.K., see W.Y. Guan **209**, 19
Wu, M.K., see S.F. Lee **209**, 141
Wyder, P., see T. Maniv **209**, 35
Wyder, P., see E.G. Haanappel **209**, 39

Xu, Y.H., see W.Y. Guan **209**, 19

Yacoby, E.R., see L. Klein **209**, 251
Yacoby, Y., see B. Rechav **209**, 55
Yacoby, Y., see E.A. Stern **209**, 331
Yanagida, Y., see J. Yu **209**, 442
Yang, H.D., T.H. Meen and Y.C. Chen, Structural transformation and magnetic properties of Sr-doped Gd_2CuO_4 **209**, 573
Yang, P.D., see Y.T. Qian **209**, 516
Yang, Y., see Y.G. Zhao **209**, 472
Yaron, U., I. Felner, Y. Kornyushin and Y. Yeshurun, Anisotropy of the magnetization of single crystals and bulk high-T_c superconductors **209**, 159
Yaron, U., see U. Asaf **209**, 183
Yaroslavsky, Y., M. Schieber, V. Beilin, S. Litvin, V. Burtman, V. Ginodman and D. Shaltiel, Doping of BiSrCaCuO compounds with (V+Y), As, Sb, Pb, Cr and Ge **209**, 179
Yeshurun, Y., see A. Reiderman **209**, 145
Yeshurun, Y., see U. Yaron **209**, 159
Yeshurun, Y., see L. Klein **209**, 251
Yeshurun, Y., see S. Velner **209**, 335
Ying, H.W., see P. Wei **209**, 400
Yu, J., Y. Yanagida, H. Takashima, Y. Inaguma, M. Itoh and T. Nakamura, Single crystal growth of superconducting $La_{2-x}Ba_xCuO_4$ by TSFZ method **209**, 442

Zavaritsky, V.N., see K. Aupke **209**, 255
Zettl, A., see S. McKernan **209**, 585
Zhang, Y.H., see Y.T. Qian **209**, 516
Zhao, L.Z., The base character of superconducting oxides **209**, 549
Zhao, Y.G., S.L. Jia, Y.Q. Zhou, Y. Yang and Z.X. Zhao, Effect of Zn doping on T_c of $Y_{1-x}Pr_xBa_2Cu_{3-y}Zn_yO_z$ and its dependence on Pr doping **209**, 472
Zhao, Z.X., see Y.G. Zhao **209**, 472
Zhou, G., see Y.T. Qian **209**, 516
Zhou, Y.Q., see Y.G. Zhao **209**, 472
Zimmerman, G.O., Y.Z. Negm, M.Z. Tahar, S. Buczkowski, R.E. Powers and R. McConeghy, High current composite superconductor electrical power lead **209**, 291

Physica C 209 (1993) 630–632
North-Holland

PHYSICA C

Analytic Subject Index to Volume 209

1/f noise 289

A15 compound 13, 111, 171
Acid-base parameter 549
AC susceptibility 353, 456, 499
Aging 271
Anderson model 1
Andreev reflection 85, 89, 104, 129
Anisotropic superconductor 437, 537, 579, 591
Anisotropy 17, 22, 74, 85, 125, 129, 159, 199, 255, 341
Antiferromagnetic order 71, 113, 138, 160, 171, 177, 179, 184, 193, 198, 229, 295, 302, 305, 308, 428, 597
–in La_2CuO_4 327
–in $(Pr_{1.5}Ce_{0.5})Sr_2Cu_2NbO_{10}$ 155
–in $(R_{1-x}Pr_x)Ba_2Cu_3O_7$ (R = Yb,Tm,Er,Ho,Dy,Gd,Eu,Sm,Nd,Y) Antiferromagnetism 20, 113, 121, 151, 157, 227, 327
Anyons 4
Applications, power plants 335
Atomic force microscopy 289
Auger electron spectroscopy 215, 312

Band structure 57, 75, 81, 107, 115, 129, 389
BCS theory 2, 65, 86, 94, 107, 127, 136
Bean model 203, 235, 245
Bipolaron model 1, 72, 117
Bond length 331
Buffer layer 421

Cables 195
Cathodoluminescence
–in YBCO 81
Ceramic-polymer composites 353
Charge transfer 38, 51, 115, 137
Charge transfer gap 491
Chemical vapour deposition 195, 307
Coherence length *xii*, 3, 71, 143, 167, 187, 207, 221, 229, 239, 253
Columnar defects
–in BSCCO 247
–in YBCO 247
Composites 337
Composition 32, 141, 151, 163, 179, 183, 226, 295
Contact geometry 63, 200, 207, 292
Cooper pairs 8, 35, 47, 65, 199
Critical current 63, 90, 147, 167, 186, 187, 191, 207, 212, 221, 243, 262, 273, 278, 288, 301, 307
Critical current density
–in BiSrCaCuO–metal-composites 207
Critical field 37, 63, 88, 107, 110, 128, 240, 341
Crystal structure 19, 156, 163, 238, 303
Cu–O planes 472, 491
Current limiting device 277

Defects 161, 203, 269
Defect structures 463
–in $YBa_2Cu_3O_{7-x}$ 415
De Haas–van Alphen effect *xii*, 39
Density of states 5, 26, 65, 107, 407
Dielectric constant 10, 129, 337
–of composites 337
Differential scanning calorimetry 295
Diffusion 121, 149, 305
Dislocations 187
Disorder 55, 67, 211, 238
Dissipation 292, 341
Doping 13, 77, 133, 179, 237, 307

EDAX 296, 316, 486
Eddy currents 41
Electrical resistivity 353, 381, 442, 491, 516, 537, 585
–in $Ba_{1-x}K_xBiO_3$ 141
–in $Tl_2Ba_2CuO_6$ 199
Electric field effect 99
Electrochemistry 305
Electronic structure 327, 400
–of $Sr_{1-x}Ca_xCuO_2$ 389
Electron irradiation 211
Electron–phonon coupling 1, 3, 125, 319
–in $YBa_2Cu_3O_7$ 125
Energy barrier 203, 237, 243, 247
Energy gap 8, 23, 43, 51, 85, 89, 115, 121, 125, 131, 226, 319
Epitaxial growth 13, 31, 90, 226, 287, 342
ESR 393
EXAFS 373
Excitonic superconductivity *xi*, 2, 133

Far infrared spectroscopy 53, 89
Fermi energy 35, 39, 76, 99, 107, 119, 125, 129, 135, 199
Fermi surface 513
Filter 265
Fluctuation effects *xi*, 59, 31, 42, 59, 71, 101, 117, 121, 199, 222, 237, 288, 342, 456, 597
Flux 67, 80, 147, 232, 279, 341
–creep 231, 243, 247, 341
–flop 251
–flow 27, 147, 222, 243, 251, 343
–pinning 59, 160, 170, 187, 191, 203, 241, 243, 247, 251, 255, 259, 289
–state 9, 42, 80, 189, 213, 243, 259
Flux distribution
–in YBCO 259
Flux flow 437, 566
Flux jumps
–in BSCCO 147
Flux lattice 559
Flux pinning 463, 559
–in YBCO 187
Frustration 67
Fullerene 13

Gap equation 8, 107, 127
Ginzburg–Landau theory 100, 209, 239, 342, 579
Glasses
–of $Bi_2Ca_{1-x}Ln_xSr_2Cu_2O_{8+\delta}$ (Ln = Dy or Y) 393
Glassy state 70, 203, 341
Grain boundary junctions 220, 287
Granular superconductors *xi*, 39, 48, 63, 67, 83, 141, 159, 167, 186, 191, 199, 207, 221, 243, 303, 305, 307, 362

Hall effect 28, 71, 129, 141, 145, 202, 247, 566
–in $Ba_{1-x}K_xBiO_3$ 141
Heavy fermions 255
High pressure effect 513, 591
–on $Bi_2Ca_1Sr_2Cu_2O_{8+y}$ 499
–on $Ln_{2-x}Ce_xCuO_{4-y}$ 537
High-tech SC *xii*
Holons 117
HREM 393, 421
Hubbard model 111, 113, 117, 133

Hybridization effect 400
Hyperfine interaction 121

Impurity effect, in antiferromagnetic insulator 327
Infrared spectroscopy 111
–of $YBa_2(Cu_{1-0.04}Fe_{0.04})_3O_7$ 89
Interaction potential 507
Ion irradiation 233, 247, 251, 259
Ionization 133, 214
Irradiation effect
–in $Bi_2Sr_2CaCu_2O_8$ 251
–in $YBa_2Cu_3O_7$ 251
Irreversibility (line) 160, 170, 206, 237, 279, 341, 463
–in (Pb,Tl)-1212 237
–in Tl-2233 237
–in YBCO 237
Isotope effect 9, 107, 142, 319
–in YBCO 319
I–V characteristics 14, 31, 167, 212, 243, 279, 294

Josephson coupling 4, 29, 69, 233
–junction 68, 207, 211, 215, 219, 279, 341
Josephson effect 477
–of YBCO 281
Josephson junctions
–in YBCO 211

Knight shift 119
Kosterlitz–Thouless transition 31

Laser ablation 23, 175, 259
–deposition 31, 51, 71, 90, 175, 215, 287
Laser-induced grating spectroscopy
–of YBCO 95
Layering effect 507
Leads 291
Lithographic method 213, 306

Magnetic circular dichroism 225
–field 35, 39, 63, 67, 72, 160, 187, 213, 229, 233, 243, 252, 271
–in YBCO 225
–order 21
Magnetic relaxation 233, 256
–in $Bi_2Sr_2CaCu_2O_x$ 255
–in YBCO 243
Magnetic–superconductive phases *xi*, 17, 22, 155, 335
Magnetic susceptibility 573
Magnetism 79, 63, 121, 147, 151
Magnetization 19, 35, 144, 147, 151, 159, 168, 233, 243, 256, 271, 442, 463
–of BSCCO 159
–of YBCO 159
Magneto-oscillations
–in $YBa_2Cu_3O_{7-\delta}$ 39
Magnetoresistance 79, 341, 437, 559
–in $YBa_2Cu_3O_{7-\delta}$ 79
–of $Y_{0.6}Pr_{0.4}Ba_2Cu_3O_7$ 229
Meissner effect 261
Metal–insulator transition 553
Microwave absorption 362
Microwave spectroscopy 179, 211, 264, 279, 337
Mobility 491
Mössbauer effect 113, 137, 151
Mössbauer spectroscopy
–of $Bi_2Sr_2CaCu_2O_8$ 151
–of $La_{2-x-y}Gd_xSr_yCuO_4$ 428
–of $PrBa_2Cu_3(^{57}Co)O_{6+x}$ 137
–of R_2CuO_4 151
–of $RBa_2Cu_3O_7$ 151
–of $RBa_2Cu_4O_8$ 151
Mott transition *xi*, 14, 113, 129
Multilayers 579
–of PrBCO 51
–of $YBa_2Cu_3O_7/(La_{1-x}Sr_x)_2CuO_4$ 531
–of $YBa_2Cu_3O_{7-\delta}$ 31
–of YBCO 51

Neutron diffraction 140, 157
NMR 26, 121, 407
–in La_2CuO_4 121
Noise (see Fluctuation) 26, 121, 407
Nondestructive testing 269
Non-ohmic behaviour
–in Ag-BSCCO(2223) 167
–in YBCO 243
Normal-state properties 519, 537, 553, 597
–of $Bi_2Sr_2CaCu_2O_x$ 585
NQR 59, 121
–in $YBa_2Cu_3O_7$ 59
n-type superconductor 14, 183

Optical excitation 81
–spectroscopy 51, 81, 95, 117, 225
Optimism *xi*, *xiii*, 1, 13, 224
Organic superconductor *xi*, *xiii*, 1, 13, 224
Oxygen annealing 319
Oxygen content 31, 59, 139, 165, 174, 183, 199, 211, 215, 226, 237, 296, 302, 305
Oxygen diffusion 585
Oxygen stoichiometry 381, 415, 456, 491, 499

Pair breaking 7, 21, 72, 229, 238, 472
Paraconductivity 72
Parametric interaction 279
Parity violation 228
Penetration depth 4, 30, 43, 80, 63, 87, 99, 128, 203, 234, 253, 579
–in BSCCO 43
–in YBCO 43
–in YBCO-Ag 63
Perovskite 55, 141, 163
Pessimism 22, 155
Phase diagram 22, 155, 597
–of BSCCO 179
Phase separation 597
Phase slip 437
Phase stability 381
Phonon spectrum 5, 519
Photoemission 45, 117, 128, 315
Plasma 215
Plasmons 507, 519
Point-contact spectroscopy 85, 103, 107, 559
–of YBCO 85
Polymer *xi*, 273
Positron annihilation 75
–in $YBa_2Cu_3O_{7-\delta}$ 75
Pressure effects 113, 197, 215, 308, 312
Product conservation 228
Proximity effect 34, 63, 99, 229, 342
Pulsed laser 96, 175

Raman scattering 519
Raman spectroscopy 52, 90, 123
Reactive ion etching 477
Reflectivity 52, 89, 96
Relaxation, magnetic 121, 247, 251, 319
Resistive evaporation 307, 311
Resistivity 31, 47, 71, 79, 86, 113, 117, 125, 141, 192, 199, 229, 237, 307
Resonator 265
RVB theory 1, 72

Sanderson electronegativity 549
Scanning tunneling microscopy 23
Scepticism 9, 77
SEM 56, 81, 160, 163, 181, 199, 282, 295, 302
Semiconduction 17
Sessile drops 316
Shapiro steps 212, 221
Single crystals 89, 147, 159, 167, 179, 199, 238, 255, 259
Sintering 191, 273, 301, 314
Skin depth 337
Space applications 263
Specific heat 19, 106, 121, 128, 142, 149, 237, 296, 407, 456
Specific heat–linear coefficient 553
Spin dynamics 38
Sputtering 216
SQUID 222, 269, 287
Strength, mechanical 273

Structural change 47, 55, 60, 113, 185
Structure 55, 60, 113, 185
–of (Bi,Cd)Sr_2(Y,Ca)Cu_2O_z 516
–of $Bi_2Ca_{1-x}Ln_xSr_2Cu_2O_{8+\delta}$ (Ln = Dy or Y) 393
–of $Bi_{2-x}La_xBa_{2.5}La_{0.5}Cu_2O_{8.25}$ 449
–of $La_{1.85-x}Nd_xSr_{0.15}CuO_4F_y$ 47
–of $La_{2-x}(Ba,Sr)_xCuO_4$ 373
–of $La_{2-x-y}Gd_xSr_yCuO_4$ 428
–of $NaTaO_3$ 55
–of $PbTiO_3$ 55
–of $Tl_{0.5}Pb_{0.5}Sr_4Cu_2CO_3O_7$ 163
–of $YBa_2Cu_3O_7/(La_{1-x}Sr_x)_2CuO_4$ 531
–of $YBa_2Cu_3O_{7-\delta}$ 47, 55, 60, 113, 185
Substitution effects 47, 133, 179, 237, 307
–in BSCCO 179
–in Gd_2CuO_4 573
–in $Y_{1-x}Pr_xBa_2Cu_{3-y}Zn_yO_z$ 472
Superlattice 51
Surface barrier 203, 233
Surface resistance 33, 44, 46, 99, 272
Susceptibility 19, 59, 118, 156, 166, 184, 198
Synthesis
–of (Bi,Cd)Sr_2(Y,Ca)Cu_2O_z 516
–of $Bi_2Ca_{1-x}Ln_xSr_2Cu_2O_{8+\delta}$ (Ln = Dy or Y) 393
–of $Bi_{2-x}La_xBa_{2.5}La_{0.5}Cu_2O_{8.25}$ 449
–of Bi–Sr–Ca–Cu–O 486
–of BSCCO 295
–of $La_{2-x}Ba_xCuO_4$ 442
–of LSCO 175
–of NCCO 175
–of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ 381
–of $Nd_2CuO_{4-\delta}$ 381
–of $Nd_2CuO_{4-x}F_x$ 183
–of $Nd_{2-z}Gd_zCuO_{4-x}F_x$ 183
–of $Pr_2CuO_{4-x}F_x$ 183
–of $Tl_2Ba_2CuO_6$ 199
–of $YBa_2Cu_3O_y$ 369
–of YBCO 175, 191, 195, 301
–of YBCO wires 273
Synthesis of Nb/AlO_x junctions 477

Tape 180, 273, 295, 301, 315
Thermal conductivity 35, 293
–diffusion 27
–fluctuation 173
–treatment 295, 301, 307, 312
Thermal expansion 591
Thermally activated flux motion 18, 233, 257
Thermoelectric effects 4, 27, 129, 202, 309, 311
–in YBCO 311
Thermopower 28, 199
Thick films 31, 177, 197, 210, 301
Thin films *xi*, 13, 23, 25, 31, 35, 45, 67, 71, 89, 96, 99, 175, 212, 215, 225, 229, 259, 264, 287, 305, 307, 311, 369, 421, 477, 486
–of BSCCO 71
–of $Y_{0.6}Pr_{0.4}Ba_2Cu_3O_7$ 229
–of $YBa_2Cu_3O_x$ 287
–of Y–Ba–Na–Cu–O 307
–of YBCO 71, 215, 305
T–J model 117
Trilayered heterostructures 421
Tunable laser 95
Tunneling junction 103, 127, 255
–rate 255
–spectroscopy 23, 26, 59, 77, 89, 103
Tunneling spectroscopy
–in BSCCO 23
–in YBCO 23
Twins 251, 259
Two-band model 133

Van Hove singularity 88, 107, 201, 229
Vortex states 27, 36, 146, 160, 233, 243, 247, 251, 341
–motion 27, 303

Weak links 362
Wetting 315
–in PbBiSrCaCuO 315
Wires 273, 295, 315

XAFS 55, 331
XANES 407
X-ray 19, 71, 113, 138, 160, 171, 177, 179, 184, 193, 198, 229, 295, 302, 305, 308
X-ray diffraction 353, 369, 407, 415, 449, 573
–in V_3Si 171